DEC 1 2 2008 S DOCKET NO. NL 030348 (STNX01-30348) THE

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Cornelis Van Berkel, et al.

U.S. Serial No.

10/552,048

Filed

October 4, 2005

For

CONFIGURABLE MULTI-STEP LINEAR FEEDBACK SHIFT

REGISTER

Group No.

2193

Examiner

Michael D. Yaary

Confirmation No.

6163

MAIL STOP AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

Sir:

The undersigned hereby certifies that the following documents:

- 1. Amendment and Response to Office Action; and
- 2. A postcard receipt;

relating to the above application, were deposited as "First Class Mail" with the United States Postal Service, addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on December 5, 2008.

Mailer

Date: 12/5/08

Date: 12/5/2008

Robert D. McCutcheon

Reg. No. 38,717

P.O. Box 802432 Dallas, Texas 75380 Phone: (972) 628-3600

Fax: (972) 628-3616

E-mail: rmccutcheon@munckcarter.com

PATENT

DOCKET NO. NL 030348 (STNX01-30348)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re application of

Cornelis Van Berkel, et al.

U.S. Serial No.

10/552,048

Filed

October 4, 2005

For

CONFIGURABLE MULTI-STEP LINEAR FEEDBACK SHIFT

REGISTER

Group No.

2193

Examiner

Michael D. Yaary

Confirmation No.

6163

MAIL STOP AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Alexaliulia, V.A 22313-1430

Sir:

AMENDMENT AND RESPONSE TO OFFICE ACTION

No fees are believed to be necessary; however, in the event that any fees are required for the prosecution of this application, please charge any necessary fees to Deposit Account No. 50-0208. No extension of time is believed to be necessary. If, however, an extension of time is needed, the extension is requested and please charge the fee for this extension to Deposit Account No. 50-0208.

In response to the Office Action having a mailing date of September 5, 2008, please amend the above-identified application as follows: